

MATERIAL SAFETY DATA SHEET
ProTecta Engine Oil Booster

EMERGENCY TELEPHONE NUMBER: HMC (Hazardous Material Compliance Corp.)
(Info-Trac): 1-800-535-5053 * 352-323-3500.

Telephone Number for Information: 406-287-7836 * 1-800-735-6438

Date Revised: 3/21/2006

SECTION 1 – PRODUCT IDENTIFICATION

Product Name: ProTecta Engine Oil Booster

Chemical Name: Composition of Additives

Product Appearance: Amber

Product Odor: Mild

Classification: Gasoline and Petrol Engine Oil Fortifier

Company Name: SFR Corporation

405 W. Legion
Whitehall, MT 59759

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS No.</u>	<u>Classification</u>	<u>Composition</u>
Distillates, hydrotreated	64742-54-7		50-70%
Acid treated Napthenic distillate	6472-19-4		15-40%

SECTION 3 – HAZARDS IDENTIFICATION

May cause eye Irritation

May be harmful if swallowed.

May cause Skin Irritation

SECTION 4 – FIRST AID MEASURES

Eye Contact: Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse. Get medical attention immediately.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.

Ingestion: Do not induce vomiting give two glasses of water or milk, a little at a time. May be harmful if swallowed. Call a physician.

SECTION 5 – FIRE FIGHTING MEASURES

This material will burn although it is not easily ignited. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Stop the source of the leak or release. Clean up releases as soon as possible, observing precautions in Exposure Controls/Personal Protection. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbet materials or pumping. Dike if needed. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.

SECTION 7 – HANDLING AND STORAGE

Keep container dry. Keep container tightly closed. Store above 22° C (72° F) to prevent crystallization. Handle all open containers with care. Do NOT handle or store near an open flame, heat or other sources of ignition. Protect material from direct sunlight. Empty product containers may contain product residue. Do NOT reuse empty containers. Avoid contact with water.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the workstation location.

Personal Protection: Splash goggles, long sleeves, and chemical resistant gloves.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Flash Point minimum: 248° F

Boiling Point: above 500° F

Vapor density: (Air=1) Heavier than air

Evaporation rate: Slower than ether.

Odor: Characteristic mild.

Color: Amber.

SECTION 10 – STABILITY AND REACTIVITY

Stability: The product is stable.

Incompatibility with various substances: Avoid strong oxidizing agents such as permanganates, perchlorates and hydrogen peroxide.

Decomposition products under fire conditions: Carbon dioxide, carbon monoxide.

SECTION 11 – TOXICOLOGICAL INFORMATION

Carcinogenicity: NTP No, IARC No, OSHA No.

Eye Effects: The eye irritation hazard is based on data for a similar material.

Skin Hazard: The skin irritation hazard is based on data for a similar material.

Special remarks on Toxicity to Animals: Acute oral toxicity (LD50): 15000 mg/kg (rat) for related material.

Sensitization: No data available. Similar products have been found to cause allergic reactions in sensitive individuals.

SECTION 12 – ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting.

SECTION 13 – DISPOSAL CONSIDERATIONS

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal of this material.

SECTION 14 – TRANSPORTATION INFORMATION

DOT: Not a DOT controlled material (United States)

International Transportation: Not a hazardous material

SECTION 15 – REGULATORY INFORMATION

TSCA: All of the components of this product are listed on the TSCA Inventory.

CERCLA: If this product is accidentally spilled, it is not subject to any special reporting under the requirements of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA). We recommend that you contact local authorities to determine if there may be other local reporting requirements.

SECTION 16 – OTHER INFORMATION

Hazard Rating Systems: This information is for people trained in: National Paint & Coatings Association (NPCA) Hazardous Materials Identification System (HMIS)
National Fire Protection Association (NFPA 704)

	NPCA-HMIS	NFPA 704
Health	2	2
Flammability	1	1
Reactivity	0	0

The information and recommendations contained herein are, to the best of SFR Corporation's knowledge and belief, accurate and reliable as of the date issued. SFR Corporation does not warranty or guarantee their accuracy or reliability, and SFR Corporation shall not be liable for any loss or damage arising out of the use thereof. The NFPA ratings recommended are based upon the criteria supplied by the developers of these rating systems, together with SFR Corporation.